

102201-18569860




Fig. 1a

102207 18569860




Fig. 1b

Fig. 2





Fig. 3



F02201 T8569360

Fig. 4




Fig. 5





Fig. 6



102201-18569660





Fig. 7


09/869581



Fig. 8



09/869581-102201







Fig. 10 A,B

09/869581





Fig. 10 C,D





Fig. 11

A



14/35

B

Cleavage	Intensity / kHz	
none	$Q_{01} = 43/109$ (48/52)	$Q_{02} = 16/60$ (9/91)
<i>Hind</i> III	$Q_1 = 60$ $Q_2 = 22$	$Q_3 = 25/66$ (12/88)
<i>Kpn</i> I	$Q_3 = 15$ $Q_4 = 66$	$Q_1 = 58$ $Q_2 = 26$
<i>Hind</i> III/ <i>Kpn</i> I	$Q_2 = 24$ $Q_3 = 10$	$Q_3 = 12$ $Q_4 = 60$
		$Q_2 = 28$

\* Concentration ratio (%) of two signals. See text for details.

Fig. 12




Fig. 13





Fig. 14



T02201-T8569860




Fig. 15




Fig. 16




Fig. 17

09869581-102201

09869581-102201




Fig. 18

T02201-18569360




Fig. 19

102207" 18569860




FIG. 21




Fig. 21

Fig. 22

FOOT 1856960






Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27





Fig. 28

FO220T-18569860






Fig. 29

Fig. 30






Fig. 31

FIDA measurement: Binding of theophylline-TAMRA to hybridoma HB-8152





Fig. 32

FIDA measurement: Competition of theophylline-TAMRA binding to hybridoma HB-8152



102201" T85691360

FCS measurement: Binding of purified monoclonal antibody to theophylline-TAMRA




Fig. 33

09/869581